

## GEPHE SUMMARY

<p>TBXT (<a href="https://recette.gephebase.org/search-criteria?/and+Gene+Gephebase+^TBXT+^#gephebase-summary-title">https://recette.gephebase.org/search-criteria?/and+Gene+Gephebase+^TBXT+^#gephebase-summary-title</a>)</p> <p>Published</p>	<p>Gephebase Gene</p> <p>Entry Status</p>	<p>GP00002289</p> <p>Martin</p>	<p>GepheID</p> <p>Main curator</p>
--	---	---------------------------------	------------------------------------

## PHENOTYPIC CHANGE

<p>Morphology (<a href="https://recette.gephebase.org/search-criteria?/and+Trait+Category+^Morphology+^#gephebase-summary-title">https://recette.gephebase.org/search-criteria?/and+Trait+Category+^Morphology+^#gephebase-summary-title</a>)</p> <p>Organ size (tail; short) (<a href="https://recette.gephebase.org/search-criteria?/and+Trait+^Organ+size+(tail;+short)+^#gephebase-summary-title">https://recette.gephebase.org/search-criteria?/and+Trait+^Organ+size+(tail;+short)+^#gephebase-summary-title</a>)</p> <p>WT</p> <p>Short Tail</p> <p>Taxon A</p> <p>Domesticated (<a href="https://recette.gephebase.org/search-criteria?/and+Taxonomic+Status+^Domesticated+^#gephebase-summary-title">https://recette.gephebase.org/search-criteria?/and+Taxonomic+Status+^Domesticated+^#gephebase-summary-title</a>)</p>	<p>Trait Category</p> <p>Trait</p> <p>Trait State in Taxon A</p> <p>Trait State in Taxon B</p> <p>Ancestral State</p> <p>Taxonomic Status</p>	<p>Taxon A</p> <p>Latin Name</p> <p>Ovis aries (<a href="https://recette.gephebase.org/search-criteria?/and+Taxon+and+Synonyms+^Ovis+aries+^#gephebase-summary-title">https://recette.gephebase.org/search-criteria?/and+Taxon+and+Synonyms+^Ovis+aries+^#gephebase-summary-title</a>)</p> <p>Common Name</p> <p>sheep</p> <p>Synonyms</p> <p>Ovis ammon aries; Ovis orientalis aries; Ovis ovis; sheep; domestic sheep; lambs; wild sheep; Ovis aries Linnaeus, 1758</p> <p>Rank</p> <p>species</p> <p>Lineage</p> <p>cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Deuterostomia; Chordata; Craniata; Vertebrata; Gnathostomata; Teleostomi; Euteleostomi; Sarcopterygii; Dipnotetrapodomorpha; Tetrapoda; Amniota; Mammalia; Theria; Eutheria; Boreoeutheria; Laurasiatheria; Artiodactyla; Ruminantia; Pecora; Bovidae; Caprinae; Ovis</p> <p>Parent</p> <p>Ovis () - (Rank: genus) (<a href="https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=9935">https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=9935</a>)</p> <p>NCBI Taxonomy ID</p> <p>9940 (<a href="https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=9940">https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=9940</a>)</p> <p>is Taxon A an Intraspecies?</p> <p>Yes</p> <p>Taxon A Description</p> <p>Barag sheep</p>	<p>Taxon B</p> <p>Latin Name</p> <p>Ovis aries (<a href="https://recette.gephebase.org/search-criteria?/and+Taxon+and+Synonyms+^Ovis+aries+^#gephebase-summary-title">https://recette.gephebase.org/search-criteria?/and+Taxon+and+Synonyms+^Ovis+aries+^#gephebase-summary-title</a>)</p> <p>Common Name</p> <p>sheep</p> <p>Synonyms</p> <p>Ovis ammon aries; Ovis orientalis aries; Ovis ovis; sheep; domestic sheep; lambs; wild sheep; Ovis aries Linnaeus, 1758</p> <p>Rank</p> <p>species</p> <p>Lineage</p> <p>cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Deuterostomia; Chordata; Craniata; Vertebrata; Gnathostomata; Teleostomi; Euteleostomi; Sarcopterygii; Dipnotetrapodomorpha; Tetrapoda; Amniota; Mammalia; Theria; Eutheria; Boreoeutheria; Laurasiatheria; Artiodactyla; Ruminantia; Pecora; Bovidae; Caprinae; Ovis</p> <p>Parent</p> <p>Ovis () - (Rank: genus) (<a href="https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=9935">https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=9935</a>)</p> <p>NCBI Taxonomy ID</p> <p>9940 (<a href="https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=9940">https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=9940</a>)</p> <p>is Taxon B an Intraspecies?</p> <p>Yes</p> <p>Taxon B Description</p> <p>Hulunbuir sheep; Kazalh and other breeds</p>
--	---	---	--

## GENOTYPIC CHANGE

<p>Tbxt</p> <p>Lr; T1; Bra; Low; Tl2; Tl3; cou; Tbxt; me75; D17Mit170; T</p> <p>10090.ENSMUSP00000074236 (<a href="http://string-db.org/newstring.cgi/show_network_section.pl?identifier=10090.ENSMUSP00000074236">http://string-db.org/newstring.cgi/show_network_section.pl?identifier=10090.ENSMUSP00000074236</a>)</p> <p>-</p> <p>GO - Molecular Function</p> <p>GO:0001228 : DNA-binding transcription activator activity, RNA polymerase II-specific (<a href="https://www.ebi.ac.uk/QuickGO/term/GO:0001228">https://www.ebi.ac.uk/QuickGO/term/GO:0001228</a>)</p> <p>GO:0000977 : RNA polymerase II regulatory region sequence-specific DNA binding (<a href="https://www.ebi.ac.uk/QuickGO/term/GO:0000977">https://www.ebi.ac.uk/QuickGO/term/GO:0000977</a>)</p>	<p>Generic Gene Name</p> <p>Synonyms</p> <p>String</p> <p>Sequence Similarities</p>	<p>P20293 (<a href="http://www.uniprot.org/uniprot/P20293">http://www.uniprot.org/uniprot/P20293</a>)</p> <p>0</p>	<p>UniProtKB Mus musculus</p> <p>GenebankID or UniProtKB</p>
---	---	--	--

GO:0043565 : sequence-specific DNA binding  
(<https://www.ebi.ac.uk/QuickGO/term/GO:0043565>)  
GO:0000981 : DNA-binding transcription factor activity, RNA polymerase II-specific  
(<https://www.ebi.ac.uk/QuickGO/term/GO:0000981>)  
GO:0000978 : RNA polymerase II proximal promoter sequence-specific DNA binding  
(<https://www.ebi.ac.uk/QuickGO/term/GO:0000978>)  
GO:0001085 : RNA polymerase II transcription factor binding  
(<https://www.ebi.ac.uk/QuickGO/term/GO:0001085>)  
GO:0001102 : RNA polymerase II activating transcription factor binding  
(<https://www.ebi.ac.uk/QuickGO/term/GO:0001102>)

#### GO - Biological Process

GO:0009653 : anatomical structure morphogenesis  
(<https://www.ebi.ac.uk/QuickGO/term/GO:0009653>)  
GO:0045944 : positive regulation of transcription by RNA polymerase II  
(<https://www.ebi.ac.uk/QuickGO/term/GO:0045944>)  
GO:0006357 : regulation of transcription by RNA polymerase II  
(<https://www.ebi.ac.uk/QuickGO/term/GO:0006357>)  
GO:0009952 : anterior/posterior pattern specification  
(<https://www.ebi.ac.uk/QuickGO/term/GO:0009952>)  
GO:0000122 : negative regulation of transcription by RNA polymerase II  
(<https://www.ebi.ac.uk/QuickGO/term/GO:0000122>)  
GO:0001843 : neural tube closure (<https://www.ebi.ac.uk/QuickGO/term/GO:0001843>)  
GO:0008284 : positive regulation of cell proliferation  
(<https://www.ebi.ac.uk/QuickGO/term/GO:0008284>)  
GO:0001756 : somitogenesis (<https://www.ebi.ac.uk/QuickGO/term/GO:0001756>)  
GO:0060395 : SMAD protein signal transduction  
(<https://www.ebi.ac.uk/QuickGO/term/GO:0060395>)  
GO:0061371 : determination of heart left/right asymmetry  
(<https://www.ebi.ac.uk/QuickGO/term/GO:0061371>)  
GO:0001707 : mesoderm formation (<https://www.ebi.ac.uk/QuickGO/term/GO:0001707>)  
GO:0030903 : notochord development  
(<https://www.ebi.ac.uk/QuickGO/term/GO:0030903>)  
GO:0001708 : cell fate specification (<https://www.ebi.ac.uk/QuickGO/term/GO:0001708>)  
GO:0007498 : mesoderm development  
(<https://www.ebi.ac.uk/QuickGO/term/GO:0007498>)  
GO:0043433 : negative regulation of DNA-binding transcription factor activity  
(<https://www.ebi.ac.uk/QuickGO/term/GO:0043433>)  
GO:0023019 : signal transduction involved in regulation of gene expression  
(<https://www.ebi.ac.uk/QuickGO/term/GO:0023019>)  
GO:0036342 : post-anal tail morphogenesis  
(<https://www.ebi.ac.uk/QuickGO/term/GO:0036342>)  
GO:0060349 : bone morphogenesis (<https://www.ebi.ac.uk/QuickGO/term/GO:0060349>)  
GO:0071300 : cellular response to retinoic acid  
(<https://www.ebi.ac.uk/QuickGO/term/GO:0071300>)  
GO:0001570 : vasculogenesis (<https://www.ebi.ac.uk/QuickGO/term/GO:0001570>)  
GO:0022414 : reproductive process (<https://www.ebi.ac.uk/QuickGO/term/GO:0022414>)  
GO:0048706 : embryonic skeletal system development  
(<https://www.ebi.ac.uk/QuickGO/term/GO:0048706>)  
GO:0055007 : cardiac muscle cell differentiation  
(<https://www.ebi.ac.uk/QuickGO/term/GO:0055007>)  
GO:0003007 : heart morphogenesis (<https://www.ebi.ac.uk/QuickGO/term/GO:0003007>)  
GO:0007509 : mesoderm migration involved in gastrulation  
(<https://www.ebi.ac.uk/QuickGO/term/GO:0007509>)  
GO:0001839 : neural plate morphogenesis  
(<https://www.ebi.ac.uk/QuickGO/term/GO:0001839>)  
GO:0014028 : notochord formation (<https://www.ebi.ac.uk/QuickGO/term/GO:0014028>)  
GO:0007341 : penetration of zona pellucida  
(<https://www.ebi.ac.uk/QuickGO/term/GO:0007341>)  
GO:0003257 : positive regulation of transcription from RNA polymerase II promoter involved in myocardial precursor cell differentiation  
(<https://www.ebi.ac.uk/QuickGO/term/GO:0003257>)

#### GO - Cellular Component

GO:0005737 : cytoplasm (<https://www.ebi.ac.uk/QuickGO/term/GO:0005737>)  
GO:0005654 : nucleoplasm (<https://www.ebi.ac.uk/QuickGO/term/GO:0005654>)  
GO:0005634 : nucleus (<https://www.ebi.ac.uk/QuickGO/term/GO:0005634>)  
GO:0000790 : nuclear chromatin (<https://www.ebi.ac.uk/QuickGO/term/GO:0000790>)  
GO:0000785 : chromatin (<https://www.ebi.ac.uk/QuickGO/term/GO:0000785>)

Presumptive Null

No ([https://recette.gephebase.org/search-criteria?/and+Presumptive Null="No" #gephebase-summary-title](https://recette.gephebase.org/search-criteria?/and+Presumptive Null=))

Molecular Type

Coding ([https://recette.gephebase.org/search-criteria?/and+Molecular Type="Coding" #gephebase-summary-title](https://recette.gephebase.org/search-criteria?/and+Molecular Type=))

Aberration Type

SNP ([https://recette.gephebase.org/search-criteria?/and+Aberration Type="SNP" #gephebase-summary-title](https://recette.gephebase.org/search-criteria?/and+Aberration Type=))

SNP Coding Change

Nonsynonymous

Molecular Details of the Mutation

c.G334T p.G112W

Experimental Evidence

	Taxon A	Taxon B	Position
Codon	-	-	-
Amino-acid	Gly	Trp	112

Main Reference

Whole Genome Sequencing of Hulunbuir Short-Tailed Sheep for Identifying Candidate Genes Related to the Short-Tail Phenotype. (2018) (<https://pubmed.ncbi.nlm.nih.gov/29208649>)

Authors

Zhi D; Da L; Liu M; Cheng C; Zhang Y; Wang X; Li X; Tian Z; Yang Y; He T; Long X; Wei W; Cao G

Abstract

The Hulunbuir short-tailed sheep (*Ovis aries*) is a breed native to China, in which the short-tail phenotype is the result of artificial and natural selection favoring a specific set of genetic mutations. Here, we analyzed the genetic differences between short-tail and normal-tail phenotypes at the genomic level. Selection signals were identified in genome-wide sequences. From 16 sheep, we identified 72,101,346 single nucleotide polymorphisms. Selection signals were detected based on the fixation index and heterozygosity. Seven genomic regions under putative selection were identified, and these regions contained nine genes. Among these genes, T was the strongest candidate as T is related to vertebral development. In T, a nonsynonymous mutation at c.G334T resulted in p.G112W substitution. We inferred that the c.G334T mutation in T leads to functional changes in Brachyury-encoded by this gene-resulting in the short-tail phenotype. Our findings provide a valuable insight into the development of the short-tail phenotype in sheep and other short-tailed animals.

Copyright © 2018 Zhi et al.

Additional References

Two linked TBXT (brachyury) gene polymorphisms are associated with the tailless phenotype in fat-rumped sheep. (2019) (<https://pubmed.ncbi.nlm.nih.gov/31475743>)

RELATED GEPHE

No matches found.

Related Genes

No matches found.

Related Haplotypes

EXTERNAL LINKS

COMMENTS

@Parallelism @HeterozygoteAdvantage